


EXPOLINC FABRIC SYSTEM



High Performance Display Systems



Watch the full movie at www.expolinc.com/products/fabric-system/

4400 x 2500 mm




3300 x 2400 mm

2200 x 2100 mm



Image size
 3300x2400 mm
 7.9 m²




- 2 pcs Poles**
- 6 pcs inner curved profiles**
- Soft bags**
- 1 pc Soft Image Counter**
- 1 pc Brochure Stand**
- Spotlights**






- 2 pcs Poles**
- 6 pcs outside curved profiles**
- 1 pc Standard Case XL**
- 1 pc topshelf**
- Spotlights**

Image size
 3300x2750 mm
 9.1 m²





3300 mm

Image size
6800x2750 mm
18.7 m²


- 3 pcs Poles**
- 10 pcs straight profiles**
- 2 pcs 90 degree profiles**
- 1 pc Standard Case XL**
- 1 pc Brochure Stand**
- 1 pc Stand Up Info**
- Spotlights**





- 5 pcs Poles**
- 12 pcs straight profiles**
- 4 pcs 90 degree profiles**
- 2 pcs Standard Case XL**
- 2 pcs topshelf**
- Spotlights**

Image size
 9200x2750 mm
 25.3 m²






Image size
 4400x2500 mm
 11.0 m²

- 3 pcs Poles**
- 4 pcs inner curved profiles**
- 4 pcs outside curved profiles**
- 1 pc Standard Case XL**
- 1 pc topshelf**
- Spotlights**





- 3 pcs Poles**
- 8 pcs inner curved profiles**
- 4 pcs straight profiles**
- 2 pcs Standard Case XL**
- 2 pcs topshelf**
- 2 pcs Roll Up Compact**
- Spotlights**

Image size
 6600x2750 mm
 18.2 m²







Image size
9900x2750 mm
27.2 m²





- 4 pcs Poles**
- 18 pcs straight profiles**
- 2 pcs Standard Case XL**
- 2 pcs topshef**
- 2 pcs Pole System**
- Spotlights**



All complete in one box!
Standard Case XL holds up to 3 poles and 90° curved profiles. The case can easily be converted into a podium.



The topshef is available in silver or white.



The soft bag is designed for 2 poles, profiles and a graphic of up to 14 sqm. The steel bases are carried separately in a dedicated bag.



System well protected in robust bags.



Best in Class LED available. 15W and impressive 1200 Lumen.




Straight profile 1100 mm.
Can easily be cut into desired length.




Curved profile 15° 1100 mm.
Graphic on inner radius 4,2 m.



Curved profile 15° 1100 mm.
Graphic on outer radius 4,2 m.



90° inner curve 1300 mm.
Graphic on inner radius 0,8 m.
Fits in the Standard Case XL.



For more information, please visit expolinc.com